



**Flexibles for Recycling**

by EK-PACK FOLIEN GmbH

## EK-Prop X

**PP/PE/EVOH/PE-film  
for pouches and top-web applications**



### MANUFACTURING PROCESS:

- › Solventless Adhesive-Lamination or
- › PE-Extrusion-Lamination

### MAIN APPLICATION:

- › Tubular Pouches
- › Side sealed Pouches
- › Top Web
- › Modified Atmosphere Packaging

### FIELDS OF APPLICATION:

- › Food
- › Non-Food

### FEATURES/PROPERTIES:

- › Very high O<sub>2</sub>-, CO<sub>2</sub>- and H<sub>2</sub>O-barrier
- › High seal strength
- › Wide sealing range
- › High transparency
- › Excellent slip properties
- › Various tintings possible
- › Biaxial oriented Polypropylene film printed on request
- › Optional equipped with Anti-Fog
- › Application-related sealing properties (e.g. Peel, Hot-Tack) possible
- › Good recyclability due to high polyolefin content

The material composition of EK-Prop X films complies with the globally most common food law regulations for use in packaging.

Our suggestions do not relieve our customers of their obligation to check our products for suitability for the intended use, e.g. by packaging test with respective storage trials (under practice conditions).

**EK-PACK FOLIEN GmbH**

Marienbergstr. 30  
D-87487 Ermengerst-Wiggensbach

Phone: +49 (0)8370 808-0  
Fax: +49 (0)8370 808-27

E-mail: [info@ek-pack.com](mailto:info@ek-pack.com)  
Internet: [www.ek-pack.com](http://www.ek-pack.com)